

BENEFITS OF DRY ICE PELLETIZER MACHINE:

1.3-Phase industrial voltage: For global installation

2.Fully automated: Start up & Shut down

3.Dry ice pelletizer mold:3mm,9mm,16mm,19mm &OEM

4.High conversion rate: 45%

5.Surface & Mold: 304 Stainless Steel

6.Production time: Recommend 8-10 h/day ,acceptable 24 hours during peak season.



Dry Ice Pelletizer Machine I

Model No.	YGBK-50-1	YGBK-100-1	YGBK-200-1	YGBK-300-1
Picture				
Motor Power	3.7 kw	5.5 kw	11 kw	15 kw
Dry Ice Size	3-16 mm	3-16mm	3-19 mm	3-19 mm
Output	50-60 kg/h	100-120 kg/h	180-200 kg/h	270-300 kg/h
Raw Materials	≥ 1.50	≥ 1.50	≥ 1.50	≥ 1.50
CO^2Transformation rate	≥ 38%	≥ 38%	≥ 42%	≥ 42%
Fuel tankage	90 L	200 L	280 L	280 L
L*W*H	160cm*80cm*130cm	160cm*140cm*170cm	270cm*110cm*180cm	270cm*150cm*180cm
Weight	600 kg	750k g	1300 kg	1700 kg

For more details about our products ,pls go to our official website: www.mgcball.com

Dry Ice Pelletizer Machine II

Model No.	YGBK-200-2	YGBK-300-2	YGBK-600-2
Picture			
Motor Power	15 kw	18.5 kw	37 kw
Dry Ice Size	3-19 mm	3-19 mm	3-19 mm
Output	360-400 kg/h	600 kg/h	1000 kg/h
Raw Materials	≥ 1.50	≥ 1.50	≥ 1.50
CO^2Transformation rate	≥ 42%	≥ 42%	≥ 42%
Fuel tankage	280 L	300 L	500 L
L*W*H	175cm*140cm*175cm	215cm*140cm*175cm	260cm*180cm*195cm
Weight	2200 kg	2450 kg	4000 kg

Dry Ice Size
3mm-19mm





For more details about our products ,pls go to our official website: www.mgcball.com

SURFACE 304 STAINLESS STEEL
Dustproof,easy to clean

DRY ICE BLOCK
0.5kg-30kg&OEM



CO2 OUTLET
Connect CO2 recovery system

FULLY AUTOMATED
Start up & Shut down

HIGH CONVERSION RATE
Save cost,increase competitiveness

3-PHASE INDUSTRIAL VOLTAGE
For global installation

Benefits of Dry Ice Block Machine:

1.3-Phase industrial voltage: For global installation

2.Fully Automated: Start up & Shut down

3.Dry Ice Block:0.5-30kg & OEM

4.High conversion rate: 45%

5.Surface & Mold: 304 Stainless Steel

6.Production time: Recommend 8-10h/day ,acceptable 24 hours during peak season.



Dry Ice Block Machine I

Model No.	YGBJ-100-1	YGBJ-100-2	YGBJ-500-1	YGBJ-500-2
Picture				
Motor Power	7.5 kw	2*7.5 kw	13.5 kw	2*13.5 kw
Dry Ice Size	125mm*105mm*(20-60)mm	125mm*105mm*(20-60)mm	250mm*140mm*(50-210)mm	250mm*140mm*(50-210)mm
Output	120-185 kg/h	240-370 kg/h	300-500 kg/h	600-1000 kg/h
Raw Materials	≥ 1.48	≥ 1.48	1.30-1.50	1.30-1.50
CO^2Transformation rate	40%-43.5%	40%-43.5%	40%-43.5%	40%-43.5%
Fuel tankage	280 L	280 L	280 L	280 L
L*W*H	140cm*110cm*170cm	160cm*140cm*170cm	270cm*110cm*180cm	270cm*150cm*180cm
Weight	1200 kg	1600 kg	2300 kg	4500 kg

For more details about our products ,pls go to our official website: www.mgcball.com

Dry Ice Block Machine II

Model No.	YGBJ-650-1	YGBJ-650-2
Picture		
Motor Power	13.5 kw	2*13.5 kw
Dry Ice Size	300mm*255mm*(50-260)mm	300mm*255mm*(50-260)mm
Output	400-650 kg/h	800-1300 kg/h
Raw Materials	≥ 1.45	≥ 1.45
CO^2Transformation rate	40%-43.5%	40%-43.5%
Fuel tankage	280 L	400 L
L*W*H	290cm*110cm*190cm	290cm*160cm*190cm
Weight	2800 kg	5200 kg

Dry Ice Block Size







For more details about our products ,pls go to our official website: www.mgcball.com

Dry Ice Pellet-to-Slice Reformer

Model No.	YGCX-1800	YGCX-4000
Picture		
Motor Power	7.5 kw	11 kw
Dry Ice Size	4-95mm*95mm*(10-60)mm 2-125mm*105mm*(10-60)mm	9-95mm*95mm*(10-60)mm 6-125mm*105mm*(10-60)mm
Output	400-550 kg/h	900-1200/800-1100 kg/h
Raw Materials	≥1.5	≥1.5
CO^2Transformation rate	≥98%	≥98%
Dry Ice material Size	Φ3*(1-10) mm	3*(1-10) mm
Fuel tankage	110 L	180 L
L*W*H	200cm*110cm*160cm	220cm*130cm*185cm
Weight	750 kg	1900 kg



Dry Ice Reformer



High Efficiency !



For more details about our products ,pls go to our official website: www.mgcball.com

Dry Ice Blasting Machine

麦捷博 AGICBALL

Model No.	YGQX-XH3	YGQX-J3	YGQX-550	YGQX-750
Picture				
Dry Ice Size	MAX 150mm*150mm*300mm	2-3 mm	1-3 mm	1-4 mm
Air Supply Pressure Range	0—6 bar	0—10 bar	5-10 bar	5-10 bar
Air Consumption	2—4 m³/min	1.0--3.0 m³/min	2—4 m³/min	3—6 m³/min
With Ice	0.1--2.5 kg/min	0--1.2 kg/min	0-2.0 kg/min	0-2.0 kg/min
Hooper Capacity	8 L	15 L	25 L	25 L
Air hose length	9 m	3 m	9 m	9 m
Ice Blater hose Length	6 m	4 m	7 m	7 m
Weight	60 kg	36 kg	92 kg	95 kg
L*W*H	70cm*40cm*50cm	60cm × 40cm × 85cm	100cm*48cm*120cm	100cm*48cm*120cm

Dry Ice Container

Model No.	YGBW-60	YGBW-260
Picture		
Outer Size	57cm*46cm*93cm	109cm*69cm*98cm
Inter Size	39cm*28cm*63cm	94cm*54cm*65cm
Capacity	68L	325L
Heat Loss	4-6%/24h	4-6%/24h
Weight	25 kg	60 kg





For more details about our products ,pls go to our official website: www.mgcball.com